## PMR-30 platform rocker - fixed tilt

Compact but highly functional fixed-angle platform rocker in the Grant-bio range, providing a smooth side to side rocking motion for gentle sample agitation in tubes, culture flasks, dishes and boxes. Suitable for use in cold rooms and incubators.

- Variable speed: 5 to 30 oscillations per minute
- Fixed 7° tilt angle
- Load up to 1kg
- · Continuous or timed operation, with automatic switch-off
- Direct drive mechanism



Reliable and extremely quiet motor produces regulated and reproducible rocking throughout the speed range.

**Compact, sturdy construction** with a low profile and small footprint – fits neatly into the smallest workspace.

Simple timer setting, with large easy-to-read LED display indicating clearly the time remaining.



Smooth, non-slip mat supplied as standard – prevents vessels from slipping.

Simple graduated speed setting – from 5 to 30 oscil/min.

Select either continuous or timed operation – the integral electronic timer ensures accurate count-down for repeatability of time-sensitive incubations.

Ambient operating temperature range of +4°C to 40°C allows use in cold room or incubator.

## **Applications:**

• Life-sciences - ideal for minigel destaining after electrophoresis, conducting reactions of Northern, Southern and Western blots, immunoblots, hybridisation washes, cell culture, visualisation of blots, immunostaining, protein electrophoresis

## PMR-100 platform rocker - adjustable tilt

Large capacity, adjustable angle and speed platform rocker, providing soft or intensive side to side rocking for optimal mixing of samples. Suitable for use in cold rooms or incubators with ambient operating temperature range +4°C to 40°C.



## **Applications:**

 Life-sciences - soft or intensive mixing of solutions or nutrient media in vessels or plastic bags placed on the platform. Northern, Southern and Western blots, incubation in immunoassays, agglutination tests. Ideal for gel destaining after electrophoresis and homogenisation of extraction media. Destaining/staining of hybridisation strips

Grant-bio compac	t rockers – models and sp	ecifications

• = optional		PMR-30		PMR-100		
		Fixed tilt platfor	Fixed tilt platform rocker		Adjustable tilt platform rocker	
		0	h: 120mm d: 205mm w: 220mm weight: 2.1kg	M	h: 250mm d: 480mm w: 400mm weight: 12kg	
Speed	oscill/min	5 to 30		1 to 99		
Fixed tilt angle	from 51-99 oscil/min	7° -		- 10°		
Tilt angle range	from 1-50 oscil/min	-		0-9°(1°increment)		
Timer, with automatic switch-off		1 mins to 24 hrs 1 mins to 99 hrs 59 mins		59 mins		
Maximum continuous operation time		168 hrs				
Platform dimensions (working area)	mm	215 x 215		460 x 360		
Maximum load	kg	1		5		
Display		4 digit LED LCD, 16 x 2 character		aracter		
Operating temperature range	°C	4 to 40 4 to 40				
External power supply		Input AC 120-230V, 50/60Hz Output DC 12V				
Input voltage	V dc	12		12		
Power consumption	W	3.8 (0.32/	4)	13 (1.1A)		
Accessories						

PDM – dimpled mat



•	-